

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Tub and Tile Refinishing Kit- Activator- 3124

Revision Date: 17-Jul-2019

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Tub and Tile Refinishing Kit- Activator

Product Code: 3124

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Tub and tile refinishing kit

Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: Magic American
755 Tri-State Parkway
Gurnee, IL 60031
800-328-9248

Emergency Phone Number

24-Hour Number: 1-800-535-5053

International: 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Hazard Class	Category
Flammable liquid	3
Skin corrosion/irritation	2
Eye damage/irritation	2A
Skin sensitization	1
Reproductive toxicity (developmental)	2
Specific organ target organ toxicity- single exposure	3

Label Elements

Hazard Symbols(s):



Signal Word(s): Warning

Hazard Statement(s): Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause respiratory irritation.

Precautionary Statement(s): Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilation/lighting equipment. Use only non-sparking tools. Take precautionary measure against static discharge. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. If exposed or concerned: Get medical advice/attention. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Store in well-ventilated place. Keep cool. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Tub and Tile Refinishing Kit- Activator- 3124

Revision Date: 17-Jul-2019

Other Hazards

50% of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Bisphenol A diglycidyl ether- bisphenol A copolymer	25036-25-3	40-50
Benzene, 1-chloro-4-(trifluoromethyl)-	98-56-6	10-20
Propylene glycol monomethyl ether	107-98-2	10-20
2-Butoxyethanol	111-76-2	10-20
Dipropylene glycol monobutyl ether	34590-94-8	1-5
Toluene	108-88-3	0.1-1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Skin: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory tract irritation. May cause drowsiness or dizziness.

Eye Contact: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Skin: Cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing Media

Suitable: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable: None known.

Specific Hazards Arising from Chemical

Flammable liquid and vapor. Products of combustion include but are not limited to: oxides of carbon.

Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Tub and Tile Refinishing Kit- Activator- 3124

Revision Date: 17-Jul-2019

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container. Provide ventilation.

SECTION 7 – HANDLING AND STORAGE

Handling: Keep away from sources of ignition- No smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. Take precautionary measures against static discharge. Use only non-sparking tools. When using do not eat, drink or smoke. Use only outdoors or in well-ventilated area.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated area. Keep away from heat, sparks, and flame. Store locked up.

Incompatible Materials: Strong acids, strong bases, oxidizing agents.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Bisphenol A diglycidyl ether- bisphenol A copolymer (25036-25-3)	Not available	Not available	Not available
Benzene, 1-chloro-4-(trifluoromethyl)- (98-56-6)	Not available	Not available	Not available
Propylene glycol monomethyl ether (107-98-2)	50 ppm	Not available	100 ppm
2-Butoxyethanol (111-76-2)	20 ppm	240 mg/m ³	5 ppm
Dipropylene glycol monobutyl ether (34590-94-8)	100 ppm	600 mg/m ³	100 ppm
Toluene (108-88-3)	20 ppm	200 ppm	100 ppm

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection Measures

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin and Body Protection: Wear chemically resistant protective gloves.

Eye/Face Protection: Wear eye protection.

General Work/Hygienic Practices: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid dispersion

Odor: Organic solvent

Odor threshold: Not determined.

pH: Not determined

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: 32°C (90°F) TCC

Evaporation rate: Not determined

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Tub and Tile Refinishing Kit- Activator- 3124

Revision Date: 17-Jul-2019

Flammability (solid, gas): Flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Relative density: 1.089

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions. May form flammable/explosive vapor-air mixture.

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials. Sources of ignition.

Incompatible materials: Strong acids, strong bases, oxidizing agents.

Hazardous decomposition products: May include and are not limited to: oxides of carbon, oxides of nitrogen, carbon monoxide and dense black smoke.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: 2-Butoxyethanol – 1 – Evidence of carcinogenicity IARC: No OSHA: No

Numerical Measures of Toxicity

Product	
ATE (oral)	Not available
ATE (dermal)	Not available
ATE (inhalation)	Not available

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A diglycidyl ether- bisphenol A copolymer (25036-25-3)	Not available	Not available	Not available
Benzene, 1-chloro-4-(trifluoromethyl)- (98-56-6)	Not available	Not available	Not available
Propylene glycol monomethyl ether (107-98-2)	5200 mg/kg (rat)	13000 mg/kg (rabbit)	54.6 mg/l/4h (rat)
2-Butoxyethanol (111-76-2)	470 mg/kg (rat)	Not available	450 ppm/4h (rat)
Dipropylene glycol monobutyl ether (34590-94-8)	Not available	Not available	Not available
Toluene (108-88-3)	>5000 mg/kg (rat)	8390 mg/kg (rabbit)	28.1 mg/l/4h (rat)

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Tub and Tile Refinishing Kit- Activator- 3124

Revision Date: 17-Jul-2019

Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available..

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

UN1263, Paint, 3, PG III

DOT (Ground): Limited quantity

IATA (Air): Regulated

IMDG (Vessel): Limited quantity

SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

SARA 313

Toluene (108-88-3) - Emission reporting 1.0%,

WARNING: This product can expose you to toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

SECTION 16 – OTHER INFORMATION

Issue Date: 27-Sep-2018

Revision Date: 17-Jul-2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet