

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tub and Tile Refinishing Kit- Base- 3124

**Revision Date:** 17-Jul-2019

## SECTION 1 – IDENTIFICATION

### Product Identifier

**Product Name:** Tub and Tile Refinishing Kit- Base

**Product Code:** 3124

### Recommended Use of the Chemical and Restrictions for Use

**Recommended Use:** Tub and tile refinishing kit spray.

**Restrictions for Use:** Use only as directed.

### Details of the Supplier

**Manufacturer:** Magic American  
755 Tri-State Parkway  
Gurnee, IL 60031  
800-328-9248

### Emergency Phone Number

**24-Hour Number:** 1-800-535-5053

**International:** 1-352-323-3500

## SECTION 2 – HAZARDS IDENTIFICATION

### Classification

Hazard Class	Category
Flammable liquid	3
Skin corrosion/irritation	2
Eye damage/irritation	2A
Skin sensitization	1
Specific target organ toxicity- single exposure	3

### Label Elements

#### Hazard Symbols(s):



**Signal Word(s):** Warning

**Hazard Statement(s):** Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. May cause respiratory irritation.

**Precautionary Statement(s):** Keep away from heat/sparks/open flames/hot surfaces. –No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. If exposed or concerned: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present an easy to do. Continue rinsing. Immediately call a poison center/doctor. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other Hazards

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tub and Tile Refinishing Kit- Base- 3124

**Revision Date:** 17-Jul-2019

None

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Titanium dioxide	13463-67-7	40-50
Benzene, 1-chloro-4-(trifluoromethyl)-	98-56-6	10-20
Fatty acids, C18-unsaturated, dimers, polymers with tail-oil fatty acids and triethylenetetramine	68082-29-1	10-20
2-Butoxyethanol	111-76-2	10-20
Dipropylene glycol monomethyl ether	34590-94-8	5-10
Solvent naphtha, petroleum light aromatic	64742-95-6	1-5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## SECTION 4 – FIRST AID MEASURES

### First Aid Measures

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Do NOT induce vomiting and Do NOT give them anything to drink unless directed to do so by a physician. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

**Skin:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects (Acute and Delayed)

**Inhalation:** May cause respiratory tract irritation.

**Eye Contact:** Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

**Ingestion:** Harmful if swallowed. May cause stomach distress, nausea or vomiting.

**Skin:** Causes skin irritation. Symptoms may include redness, drying, defatting or cracking of the skin.

### Indication of any Immediate Medical Attention and Special Treatment Needed

**Note to Physician:** Treat symptomatically.

## SECTION 5 – FIRE FIGHTING MEASURES

### Extinguishing Media

**Suitable:** Water spray, dry chemical, foam, carbon dioxide.

**Unsuitable:** None known.

### Specific Hazards Arising from Chemical

Flammable liquid and vapor. Products of combustion include but are not limited to: oxides of carbon.

### Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

**Environmental Precautions:** See Section 12 for ecological information.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tub and Tile Refinishing Kit- Base- 3124

**Revision Date:** 17-Jul-2019

## **Methods and Material for Containment and Cleaning Up**

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container. Provide ventilation.

## **SECTION 7 – HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Handling:** Keep away from sources of ignition- No smoking. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. Take precautionary measures against static discharge. Use only outdoors or in well-ventilated area.

**General Hygiene Advice:** Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

### **Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions:** Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated area. Keep away from heat, sparks, and flame. Store locked up.

**Incompatible Materials:** Strong acids, strong bases.

## **SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

#### **Exposure Guidelines:**

<b>Chemical Name</b>	<b>ACGIH TLV</b>	<b>OSHA PEL</b>	<b>NIOSH IDLH</b>
Titanium dioxide (13463-67-7)	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	Not available
Benzene, 1-chloro-4-(trifluoromethyl)- (98-56-6)	Not available	Not available	Not available
Fatty acids, C18-unsaturated, dimers, polymers with tail-oil fatty acids and triethylenetetramine (68082-29-1)	Not available	Not available	Not available
2-Butoxyethanol (111-76-2)	20 ppm	240 mg/m <sup>3</sup>	5 ppm
Dipropylene glycol monomethyl ether (34590-94-8)	100 ppm	100 ppm	100 ppm
Solvent naphtha, petroleum light aromatic (64742-95-6)	Not available	Not available	Not available

### **Appropriate Engineering Controls**

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### **Individual Protection Measures**

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Skin and Body Protection:** Wear suitable protective clothing.

**Eye/Face Protection:** Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

**General Work/Hygienic Practices:** Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Liquid dispersion

**Odor:** Organic solvent

**Odor threshold:** Not determined.

**pH:** Not determined

**Melting point/freezing point:** Not determined

**Initial boiling point and boiling range:** Not determined

**Flash point:** 40°C (104°F) TCC

**Evaporation rate:** Not determined

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tub and Tile Refinishing Kit- Base- 3124

**Revision Date:** 17-Jul-2019

**Flammability (solid, gas):** Flammable

**Upper/lower flammability or explosive limits:** Not determined

**Vapor pressure:** Not determined

**Vapor density:** Not determined

**Relative density:** 1.439

**Solubility(ies):** Not determined

**Partition coefficient (n-octanol/water):** Not determined

**Auto-ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Viscosity:** Not determined

## SECTION 10 – STABILITY AND REACTIVITY

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Stable under normal storage conditions. May form flammable/explosive vapor-air mixture.

**Possibility of hazardous reactions:** No dangerous reaction known under normal use.

**Conditions to avoid:** Heat. Incompatible materials. Sources of ignition.

**Incompatible materials:** Strong acids, strong bases, oxidizing agents.

**Hazardous decomposition products:** May include and are not limited to: oxides of carbon, oxides of nitrogen and carbon monoxide.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

**Likely Routes of Exposure:** Inhalation, skin contact, eye contact, ingestion

### Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

#### **Carcinogenicity:**

##### **NTP:**

2-Butoxyethanol – 1 – Evidence of carcinogenicity

##### **IARC:**

Titanium dioxide - 2B – Possibly carcinogenic to humans

**OSHA:** None

### Numerical Measures of Toxicity

Product	
ATE (oral)	Not available
ATE (dermal)	Not available
ATE (inhalation)	Not available

### **Component Information:**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide (13463-67-7)	>10000 mg/kg (rat)	Not available	Not available
2-Butoxyethanol (111-76-2)	470 mg/kg (rat)	Not available	450 ppm/4h (rat)
Benzene, 1-chloro-4-(trifluoromethyl)- (98-56-6)	Not available	Not available	Not available
Fatty acids, C18-unsaturated, dimers, polymers with tail-oil fatty acids and triethylenetetramine (68082-29-1)	Not available	Not available	Not available
Dipropylene glycol monomethyl ether (34590-94-8)	Not available	Not available	Not available
Solvent naphtha, petroleum light aromatic (64742-95-6)	Not available	Not available	Not available

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tub and Tile Refinishing Kit- Base- 3124

**Revision Date:** 17-Jul-2019

## SECTION 12 - ECOLOGICAL INFORMATION

**Ecotoxicity:** Not established

**Persistence and degradability:** Not established

**Bioaccumulative potential:** Not established

**Mobility in soil:** No additional information available.

**Other adverse effects:** No additional information available.

## SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

## SECTION 14 – TRANSPORT INFORMATION

**Note:** Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

UN1263, Paint, 3, PGIII

**DOT (Ground):** Limited quantity

**IATA (Air):** Regulated

**IMDG (Vessel):** Limited quantity

## SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

## SECTION 16 – OTHER INFORMATION

**Issue Date:** 27-Sep-2018

**Revision Date:** 17-Jul-2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**